REFERENCES

Abbritti G, Briziarelli L, Cicioni C, Siracusa A, Morucci P, Bellucci E, Greco M [1979]. [Increased lead absorption in children living in an area of concentrated ceramic production] (in Italian). Med Lav 4:323-333.

Abbritti G, Cicioni C, Gambelunghe M, Fiordi T, Accattoli MP, Morucci P, Bellucci E. Bauleo FA [1988]. Blood lead levels in children living in three communities at different risks of lead pollution. Biomed Environ Sci 1(4):363-371.

Abbritti G, Muzi G, Cicioni C, Accattoli MP, Fiordi T, Morucci P [1989]. Effects of low doses of lead on children's health [Abstract]. Ann Ist Super Sanita 25(3):437-447.

Abel RR [1966]. Washing machine and fiberglass. Arch Dermatol 93:78.

Aggazzoti G, Fantuzzi G, Righi E, Predieri G, Gobba MR, Paltrinieri M, Cavalleri A [1994]. Occupational and environmental exposure to perchloroethylene (PCE) in dry cleaners and their family members. Arch Environ Health 49(6):487-493.

Agnew-Watson v. County of Alameda [1994]. 30 Cal. App. 4th 626.

Alabama Department of Public Health [1991]. Final Report. Child lead exposure study. Leeds, Alabama. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, Report No. ATSDR/HS-92-13, NTIS No. PB92-123793.

Amato CA [1994]. Letter of February 14, 1994 re: home contamination in Virginia to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 2 pages.

Anderson H, Lilis R, Daum S, Fischbein A, Selikoff IJ [1979a]. Household exposure to asbestos and risk of subsequent disease. In: Lemen R, Dement J, eds. Dusts and disease. Chicago, Pathotox Publishers, Inc. pages 145-156.

Anderson HA [1983]. Family contact exposure. In: Proceedings of world symposium on asbestos. Montreal, Canada, Canadian Asbestos Information Center. pages 349-362.

Anderson HA, Lilis R, Daum SM, Fischbein AS, Selikoff IJ [1976]. Household-contact asbestos neoplastic risk. In: Saffiotti U, Wagoner JK, eds. Occupational carcinogenesis. Ann NY Acad Sci 271:311-323.

Anderson HA, Lilis R, Daum SM, Selikoff IH [1979b]. Asbestosis among household contacts of asbestos factory workers. Ann NY Acad 330:387-399.

Anderson LS, Warner DL, Parker JE, Bluman N, Page BD [1965]. Parathion poisoning from flannelette sheets. Can Med Assoc J 92:809-813.

Anonymous [1994]. Protect yours from pesticides. Talahassee, Florida, Florida Department of Agriculture and Consumer Services. 4 pages.

Anonymous [1993b]. Pleural plaques due to high exposure in the daughters of a pipelagger. Case of the month-September 1993. In: McDonald JC. Surveillance of work-related and occupational respiratory disease (SWORD) report for September 1993. London, National Heart and Lung Institute.

Anonymous [1992]. Summary of investigation of lead exposure of the employees of the Dinwiddie County [Virginia]. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 6 pages.

Anonymous [1978]. Occupational hazards from animal diseases. Protection. July 1978:19-20.

Anonymous [1968]. How to prevent mercury poisoning in the quicksilver mining industry. Los Angeles, CA and Berkley, CA. Department of Industrial Relations and Department of Public Health. 4 pages.

Anonymous [1952]. Children of storage battery makers in Philippines contract lead poisoning. Occup Health 12(5):71.

Apol AG, Singal MA [1980]. Health Hazard Determination Report: Alaskan Battery Enterprises, Fairbanks, Alaska. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HE 80-44-731. 11 pages.

Ashcroft T, Heppleston AG [1970]. Mesothelioma and asbestos on Tyneside—a pathological and social study. In: Shapiro HA, ed. Pneumconios. Proc Int Conf Johannesburg, So. Africa. Capetown, So. Africa, Oxford University Press. pages 177-179.

ATSDR [1993a]. Final Report. Studying of symptom and disease prevalence. Caldwell Systems, Inc. Hazardous Waste Incinerator. Caldwell County, Lenoia, North Carolina. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, Agency for Toxic Substances and Disease Registry, NTIS No. PB93-231041. 132 pages.

ATSDR [1993b]. Site review and update. Anderson Development Company. Adrian, Lenawee County, Michigan. Atlanta, GA: U.S. Department of Health and Human

Services, Public Health Service, Centers for Disease Control and Prevention, Agency for Toxic Substances and Disease Registry, CERCLIS No. MID002931228. 7 pages.

ATSDR [1991a]. Final Report. Philadelphia neighborhood lead study. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, Report No. ATSDR/HS-92/14, NTIS No. PB92-123777. 276 pages.

ATSDR [1991b]. Health assessment. Bofors-Nobel, Inc., Muskegon County, Michigan. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, CERCLIS No. MID006030373. 33 pages.

ATSDR [1990a]. Final report. Technical assistance to the Tennessee Department of Health and Environment. Mercury exposure study Charleston, Tennessee. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry.

ATSDR [1990b]. Health assessment addendum. Anderson Development Company, Adrian, Michigan. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, CERCLIS No. MID002931228. 10 pages.

ATSDR [1989a]. Health assessment. Anderson Development Company, Adrian, Michigan. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, CERCLIS No. MID002931228. 12 pages.

ATSDR [1989b]. Preliminary Health Assessment. Roto-Finish Company, Kalamazoo, Michigan. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, CERCLIS No. MID005340088. 5 pages.

ATSDR [1988]. The nature and extent of lead poisoning in children in the United States: A report to Congress. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. pages IV-1 to IV-5.

Auslander M [1994]. Letter of January 25, 1994 re: workers' home contamination in Kentucky to Mr. Bob Mason, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Aw T-C, Stephenson RL, Smith AB, Glueck CJ [1985]. Health Hazard Evaluation Report: Manufacturing Chemists, Inc., Indianapolis, Indiana. Cincinnati, OH: U.S.

Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 82-257-1571. 48 pages.

Bagnell PC, Ellenberger HA [1977]. Obstructive jaundice due to a chlorinated hydrocarbon in breast milk. Can Med Assoc J 117:1947-1948.

Baker EL Jr., Folland DS, Taylor TA, Frank M, Peterson W, Lovejoy G, Cox D, Housworth J, Landrigan PJ [1977]. Lead poisoning in children of lead workers: Home contamination with industrial dust. N Eng J Med 296(5):260-261.

Baker EL Jr., Landrigan PJ, Glueck CJ, Zack, MM Jr., Liddle JA, Burse VW, Housworth WJ, Needham LL [1980]. Metabolic consequences of exposure to polychlorinated biphenyls (PCB) in sewage sludge. Am J Epidemiol 112(4):553-563.

Ballentine K [1994]. Letter of March 21, 1994 re: workers' home contamination in Alaska to Richard W. Niemeier, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Barnett M [1994]. Letter of February 14, 1994 re: home contamination in Oregon to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 3 pages.

Beaudoin DE [1994]. Letter of February 9, 1994 re: workers' home contamination in Utah to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 5 pages.

Beegle BB, Forslund BL [1990]. Letter of October 18, 1990 re: asbestos related house cleaning activities to Bill Steuteville, Region III, U.S. Environmental Protection Agency. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 90 pages.

Belanger PL, Elesh E. Flesch JP [1979]. Health Hazard and Technical Assistance Report: Kentile Floors, Inc., Chicago, Illinois. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HE 78-73-612. 24 pages.

Bellin JS [1981]. Don't take your "work" home with you. Occup Health Safety June:39-42.

Benenson AS ed. [1985]. Control of communicable diseases in man. 14th ed. Washington DC: American Public Health Association. 485 pages.

Benning D [1958]. Outbreak of mercury poisoning in Ohio. Ind Med Surg 27:354-363.

Berry G [1986]. Chrysotile and mesothelioma. Accomplishments in oncology: The biological effects of chrysotile, Wagner JC, ed. Philadelphia, J.B. Lippincott Co. pages 123-132.

Bhat N, Rosato EF, Gupta PK [1990]. Gynecomastia in a mortician: A case report. Acta Cytologica 34(1):31-34.

Bianchi C, Brollo A, Bittesini L, Ramani L [1987]. [Hyaline pleural plaques and domestic exposure to asbestos] (in Italian). Med Lav 78(1):44-49.

Bianchi C, Brollo A, Ramani L [1990]. Hyaline pleural plaques and asbestos exposure. In: Proceedings of the VIIth international pneumoconioses conference, Part II. Pittsburgh, PA, August 23-26, 1988. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occuaptional Safety and Health, DHHS (NIOSH) Publication No. 90-108 Part II, 919-923.

Bianchi C, Brollo A, Ramani L, Berte R [1991]. Exposure to asbestos in Monfalcone, Italy. A necropsy-based study. In: Riboli E, Delendi M, eds. Autopsy in Epidemiology and Medical Research. IARC Sci Publ 112:127-140.

Bianchi C, Brollo A, Ramani L, Zuck C [1993]. Asbestos-related mesothelioma in Monfalcone, Italy. Am J Ind Med 24:149-160.

Bianchi C, Giarelli L, Di Bonito L, Grandi A, Brollo A, Bittesini L [1982]. Asbestos-related pleural mesothelioma in the trieste area. In: Levy E, Laboratory Medicine: Advances in Pathology (Anatomic and Clinical), ed. 1: Proceedings of the XIth Triennial World Congress of the World Association of Societies of Pathology (Anatomic and Clinical). pages 545-548.

Bierbaum P [1993]. Memorandum of November 19, 1993 re: take-home toxins from Phil Bierbaum, Division of Physical Sciences and Engineering to Diane M. Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Bittersohl G, Ose H [1971]. [The epidemiology of pleuramesotheliomas] (in German). Z Gesante Hyg 17:861-864.

Blaser MJ, Smith PF, Cody HJ, Wang WL, LaForce FM [1984]. Killing of fabric-associated bacteria in hospital laundry by low-temperature washing. J Infect Dis 149(1):48-57.

Bohne J Jr., Cohen BS [1985]. Aerosol resuspension from fabric: Implications for personal monitoring in the beryllium industry. Am Ind Hyg Assoc J 46(2):73-79.

Boyle J [1994]. Reports of February 1994 re: ORPS database submitted to Diana Ordin, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Boyles S, Boggan WE [1994a]. SOEH Meeting: Nurse with MDR-Tb now. TBWeekly December 12:2-4.

Branson D, Henry M [1982]. Take cover! East Lansing, Michigan, Michigan State University Cooperative Extension Service, Department of Human Environment and Design, Extension Bulletin E-1546. 1 page.

Braun HE, Frank R, Ritcey G [1989]. Removal of pyrazophos from treated fabric using household laundering. Bull Environ Contam Toxicol 42:687-690.

Bridbord K [1980]. Low-level exposure to lead in the workplace. In: Needleman HL, ed. Low level lead exposure: The clinical implications of current research. New York, Raven Press. pages 267-278.

Briss P [1994]. Memo of October 14, 1994 re: take-home toxins to Denise Hill, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Brockhaus A, Collet W, Dolgner R, Engelke R, Ewers U, Freier I, Jermann E, Kramer U, Manojlovic N, Turfeld M, Winneke G [1988]. Exposure to lead and cadmium of children living in different areas of North-West Germany: Results of biological monitoring studies 1982-1986. Int Arch Occup Environ Health 60:211-222.

Brockman K [1993]. Reports of November 1993 re: NRC databases submitted to Diana Ordin, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Budzynska A, Wasikowa R, Zajec J [1967]. Hyperestrogenism in children of workers employed by the Polfa Pharmaceutical Wroks in Jelenia Gora] (in Polish). Pediatria Pol 42:411-417.

Calcaterra C [1994]. Letter of January 27, 1994 re: workers' home contamination in Nebraska to Richard W. Niemeier, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Cannel RJ, ApSimon HM, Goddard AJH [1987a]. The tracking and measurement of the ingress of particulate matter into urban dwellings. In: Proceedings Aerosol Society Conference, March 1987; Loughborough University of Technology, UK. pages 157-160.

Cannell RJ, Goddard AJH, ApSimon HM [1987b]. Contamination of dwellings by particulate matter: Ingress and distribution within the dwelling. Radiat Prot Dosim, Vol 21(1/3):111-116.

Cannon SB, Veazey JM Jr., Jackson RS, Burse VW, Hayes C, Straub WE, Landrigan PJ, Liddle JA [1978]. Epidemic kepone poisoning in chemical workers. Am J Epidemiol 107(6):529-537.

Carvalho FM, Barreto ML, Silvany-Neto AM, Waldron HA, Tavares M [1984]. Multiple causes of anemia amongst children living near a lead smelter in Brazil. Sci Total Environ 35(1):71-84.

Carvalho FM, Silvany-Neto AM, Melo AM, Chaves ME, Brandao AM, Tavares TM [1989]. Cadmium in hair of children living near a lead smelter in Brazil. Sci Total Environ 84:119-128.

Carvalho FM, Tavares TM, Silvany-Neto AM, Lima MEC, Alt F [1986]. Cadmium concentrations in blood of children living near a lead smelter in Bahia, Brazil. Environ Res 40:437-449.

CDC (Centers for Disease Control and Prevention) [1995]. Mercury Exposure in a Residential Community-Florida, 1994. MMWR 44(23):436-437.

CDC (Centers for Disease Control and Prevention) [1992a]. Lead exposures among lead burners--Utah, 1991. MMWR 41(17):307-310.

CDC (Centers for Disease Control and Prevention) [1992b]. Lead poisoning among battery reclamation workers--Alabama, 1991. MMWR 41(17):301-304.

CDC (Centers for Disease Control) [1991]. Preventing lead poisoning in young children. 6 pages.

CDC (Centers for Disease Control) [1989a]. Occupational and environmental lead poisoning associated with battery repair shops--Jamaica. MMWR 38(27):474, 479-481.

CDC (Centers for Disease Control) [1989b]. Occupational and paraoccupational exposure to lead—Colorado. MMWR 38(19):338-340, 345.

CDC (Centers for Disease Control) [1987]. Recommendations for prevention of HIV transmission in health-care setting. MMWR 36(2S):11S-12S.

CDC (Centers for Disease Control) [1985]. Lead poisoning in a capacitor and resistor plant-Colorado. MMWR 34(25):384-385.

CDC (Center for Disease Control) [1978]. Polychlorinated biphenyl exposure—Indiana. MMWR 27(12):99-100.

CDC (Center for Disease Control) [1977a]. Increased lead absorption in children of lead workers--Vermont. MMWR 1977(26):61-62.

CDC (Center for Disease Control) [1977b]. Lead poisoning in children of battery plant employees—North Carolina. MMWR 26(39):321.

CDC (Center for Disease Control) [1976]. Lead poisoning—Tennessee. MMWR 25(11):85.

CFR. Code of Federal regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

Chamberlin GW, Jennings WP, Lieben J [1957]. Chronic pulmonary disease associated with beryllium dust. PA Med J 60:497-503.

Champion P [1971]. Two cases of malignant mesothelioma after exposure to asbestos. Am Rev Resp Dis 103(6):821-826.

Chenard L, Turcotte F, Cordier S [1987]. Lead absorption by children living near a primary copper smelter. Can J Pub Health 78(5):295-298.

Chesner C [1950]. Chronic pulmonary granulomatosis in residents of a community near a beryllium plant: Three autopsy cases. Ann Int Med 32:1028-1048.

Chiao-Cheng JH, Reagan BM, Bresee RR, Meloan CE, Kadoum AM [1988]. Carbamate insecticide removal in laundering from cotton and polyester fabrics. Arch Environ Contam Toxicol 17:87-94.

Chisolm JJ Jr. [1978]. Fouling one's own nest. Pediatrics 62(4):614-617.

CH₂M Hill [1991]. Final house dust remediation report for the bunker hill CERCLA site populated areas R1/FS. Document No. BHPA-HDR-F-RO-052091. Boise, Idaho: CH₂M. Project No. B0I24632.G2.01/RI18A, Prepared for the Idaho Department of

Health and Welfare. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Christesen HBT [1994]. Epidemiology and prevention of caustic ingestion in children. Acta Paediatr 82:212-215.

Christian RR, Manchester JT, Mellor MT [1983]. Bacteriological quality of fabrics washed at lower-than-standard temperature in a hospital laundry facility. Appl Env Microbiol 45(2):591-597.

Clapp DE, Boeniger M, Heitbrink W, Tolos W [1985]. Health Hazard Evaluation Report: Steinmetz & Sons, Moscow, Pennsylvania. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 84-508-1626. 20 pages.

Clark J, Frissen DL, Williams WA [1992]. Management of an outbreak of Norwegian scabies. Am J Infect Control 20:217-220.

Cleverly SD [1994]. Letter of March 7, 1994 re: workers' home contamination in Montana to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Clifford NJ, Nies AS [1989]. Organophosphate poisoning from wearing a laundered uniform previously contaminated with parathion. JAMA 262(21):3035-3036.

Cloud RM, Hrantizky MS, Day MO, Keith NK [1983]. Clothing as a barrier against insecticides. Louisiana Agriculture 26(4):20-21.

Colavito M [1994]. Letter of February 11, 1994 re: workers' home contamination in New York State to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Coleman NP [1994]. Letter of February 7, 1994 re: workers' family protection in Oklahoma to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Cossette M [1984]. Defining asbestos particulates for monitoring purposes. In: Levadie B ed; Definitions for asbestos and other health-related silicates, ASTM STP 834. American Society for Testing and Materials, Philadelphia, PA. 46 pages.

Cohen BS, Positano R [1986]. Resuspension of dust from work clothing as a source of inhalation exposure. Am Ind Hyg Assoc J 47(5):255-258.

Cook M, Chappel WR, Hoffman RE, Mangione EJ [1993]. Assessment of blood lead levels in children living in a historic mining and smelting community. Am J Epidemiol 137(4):447-455.

Czachur M, Stanbury M, Gerwel B, Gochfeld M, Rhoads GG, Wartenburg D [1995]. A pilot study of take-home lead exposure in New Jersey. Am J Ind Med 28:289-293.

Dalquen P, Hinz I, Dabbert AF [1970]. [Pleural plaques, asbestos and asbestos exposure, an epidemiologic study in Hamburger Raum] (in German). Pneumonol 143:23-42.

Danziger SJ, Possick PA [1973]. Metallic mercury exposure in scientific glassware manufacturing plants. J Occup Med 15(1):15-20.

Davies JE, Enos HF [1980]. Pesticide monitoring and its implications. Occup Safety Health 49(3):68C-68H.

Dement JM, Merchant JA, Green FHY [1986]. Asbestosis. In: Merchant JA, ed. Occupational Respiratory Diseases. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 86-102. pages 287-327.

DeNardi JM, Van Ordstrand HS, Carmody MG [1949]. Chronic pulmonary granulomatosis: Report of ten cases. Am J Med 7(Sept):345-355.

de Silva SR [1994]. Letter of February 3, 1994 re: Take-home lead exposure; Maryland experience to Richard W. Niemeier, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 5 pages.

Devries J, Devries I [1993]. Cover protects children from chemicals. Hoard's Dairyman March 1993:271.

Doherty PE [1984]. Final Report: CERCLA Fund - Immediate removal action Lacy Manor Drive/Sandcut Road, Jefferson County, Missouri Superfund Site #A6. Jefferson

County, Missouri: U.S. Environmental Protection Agency, Region VII, Environmental Services Division. Contract No. 68-97-0006.

Dolcourt JL, Finch C, Coleman GD, Klimas AJ, Milar CR [1981]. Hazard of lead exposure in the home from recycled automobile storage batteries. Pediatrics 68(2):225-230.

Dolcourt JL, Hamrick HJ, O'Tuama LA, Wooten J, Baker EL Jr. [1978]. Increased lead burden in children of battery workers: Asymptomatic exposure resulting from contaminated clothing. Pediatrics 62(4):563-566.

Donaldson HM, Johnson WM [1972]. Field survey of Diamond Shamrock Chemical Company, Nopca Chemical Division, Redwood City, California. Cincinnati, OH: Department of Health, Education and Welfare, Public Health Service, Center for Disease Control, NIOSH Report No. IWS 33.10. 7 pages.

Donovan B [1994a]. A characterization of occupational and residential lead exposure at a stained glass studio. In: American Industrial Hygiene Conference and Exposition Abstracts. Fairfax, VA, AIHCE. Page 80.

Donovan BA, [1994b]. Health Hazard Evaluation Report: Kessler Studios, Loveland, Ohio. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 92-0029-2392. 17 pages.

Driscoll RJ, Elliott LJ [1990]. Health Hazard Evaluation Report: Chrysler Chemical Division, Trenton, Michigan. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 87-126-2019. 40 pages.

Easley CB, Laughlin J, Gold R [1981a]. Laundering pesticide contaminated clothing. Lincoln, Nebraska, University of Nebraska Cooperative Extension Service, Home Economics Neb Guide HEG81-152. 2 pages.

Easley CB, Laughlin JM, Gold RE, Hill RM [1982a]. Laundry factors influencing methyl parathion removal from contaminated denim fabric. Bull Environ Contam Toxicol 29:461-468.

Easley CB, Laughlin JM, Gold RE, Schmidt K [1982b]. Detergents and water temperature as factors in methyl parathion removal from denim fabrics. Bull Environ Contam Toxicol 28:239-244.

Easley CB, Laughlin JM, Gold RE, Tupy DR [1981b]. Methyl parathion removal from denim fabrics by selected laundry procedures. Bull Environ Contam Toxicol 27:101-108.

Easley CB, Laughlin JM, Gold RE, Tupy D [1983]. Laundering procedures for removal of 2,4-dichlorophynoxyacetic acid ester and amine herbicides from contaminated fabrics. Arch Environ Toxicol Contam 12(1):71-76.

Easter E [1983]. Removal of pesticide residues from fabrics by laundering. Test Chem Color 15(3)29-33.

Easter EP, DeJonge JO [1985]. The efficacy of laundering captan and guthion® contaminated fabrics. Arch Environ Contam Toxicol 14:281-287.

Edge JR, Choudhury SL [1978]. Malignant mesothelioma of the pleura in Barrow-in-Furness. Thorax 33:26-30.

Edmonson MB [1987]. Caustic alkali ingestions by farm children. Pediatric 79(3):413-416.

Edouard JC [1994]. Letter of January 28, 1994 re: workers' home contamination in New York to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Ehrenberg RL, Smith AB, McManus KP, Hannon WH, Brightwell WS, Lowry LK, Anger WK, Vogt RL, Brondum J, Hudson PJ [1986]. Health Hazard Evaluation Report: Staco, Inc. in Poultney, Vermont. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 83-465-1674. 81 pages.

Ehrenberg RL, Vogt RL, Smith AB, Brondum J, Brightwell WS, Hudson PJ, McManus KP, Hannon WH, Phipps FC [1991]. Effects of elementary mercury exposure at a thermometer plant. Am J Ind Med 19:497-507.

Eisenbud M, Lisson J [1983]. Epidemiological aspects of beryllium-induced nonmalignant lung disease: A 30-year update. J Occup Med 25 (3):196-202.

Eisenbud M, Wanta RC, Dustan C, Steadman LT, Harris WB, Wolf BS [1949]. Non-occupational berylliosis. J Ind Hyg Toxicol 31(5):282-294.

Eitzman DV, Wolfson SL [1967]. Acute parathion poisoning in children. Am J Dis Child 114:397-400.

Elwood WJ, Clayton BE, Cox RA, Delves HT, King E, Malcolm D, Ratcliffe JM, Taylor JF [1977]. Lead in human blood and in the environment near a battery factory. Br J Prev Soc Med 31:154-163.

Energy and Commerce Committee [1986]. House Report No. 99-253(I), 99th Congress, 2nd Session. In: Superfund Amendments of 1986 (P.L. 99-499): Legislative History. U.S. Code Cong & Admin News 4:2835-2844.

EPA [1992]. Lead poisoning and your children, Report No. 800-B-92-0002. Washington, DC, United States Environmental Protection Agency. 7 pages.

EPA [1986]. Air quality criteria for lead: Volume I. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Report No. EPA-60D/8-83/028aF.

Epler GR, Fitz-Gerald MX, Gaensler EA, Carrington CB [1980]. Asbestos-related disease from household exposure. Respiration 39:229-240.

ERM-Southeast, Inc. [1989]. Protocol for monitoring and cleaning homes. Report of decontamination procedures prepared for ERM-Southeast, U.S. Environmental Protection Agency, and the Agency for Toxic Substances and Disease Registry (February 22, 1989). Brentwood, Tennessee: ERM Southeast, Inc.

Ewers L, Clark S, Menrath W, Succop P, Bornschein R [1994b]. Clean-up of lead in household carpet and floor dust. Am Ind Hyg Assoc J 55(7):650-657.

Ewers LM, Piacitelli GM, Whelan EA [1995]. Health Hazard Evaluation: George Campbell Painting Company, Grotin, Connecticut. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 93-0502-2503.

Ewers LM, Piacitelli GM, Whelan EA [1994a]. Methods for evaluating construction workers' exposures to lead. In: American Industrial Hygiene Conference and Exposition Abstracts. Fairfax, VA, AIHCE. Page 40.

Ewers U, Brockhaus A, Winneke G. Freier I, Jermann E, Kramer U [1982]. Lead in deciduous teeth of children in a non-ferrous smelter area and a rural area of the FRG. Int Arch Occup Environ Health 50(2):139-151.

Falk H, Herbert JT, Edmonds L, Heath CW Jr., Thomas LB, Popper H [1981]. Review of four cases of childhood hepatic angiosarcoma-Elevated environmental arsenic exposure in one case. Cancer 47(2):382-391.

Farfel MR, Chisolm JJ Jr. [1990]. Health and environmental outcome of traditional and modified practices for abatement of residential lead-based paint. Am J Public Health 80(10):1240-1245.

57 Fed. Reg. 42102 [1992]. Occupational Safety and Health Administration: occupational exposure to cadmium.

59 Fed. Reg. 40964 [1994]. Occupational Safety and Health Administration: occupational exposure to asbestos.

Finkelstein JS, McCully WF, MacLaughlin DT, Godine JE, Crowley WF Jr. [1988]. Medical intelligence the morticians mystery: Gynecomastia and reversible hypogonadotropic hypogonadism in an embalmer. N Eng J Med 318(15):961-965.

Finklea JT [1976]. Statement before the Subcommittee on Manpower, Compensation, and Health and Safety, House Committee on Education and Labor February 9, 1976. 27 pages.

Finley EL, Bellon JM, Graves JB, Koonce KL [1977]. Pesticide contamination of clothing in cotton fields. Louisiana Agricul 20(3):8-9.

Finley EL, Graves JB, Hewitt FW, Morris HF, Harmon CW, Iddings FA, Schilling PE, Koonce KL [1979]. Reduction of methyl parathion residues on clothing by delayed field re-entry and laundering. Bull Environ Contam Toxicol 22:598-602. [See Satoh 1979].

Finley EL, Graves JB, Summers TA, Schilling PE, Morris HF [no date]. Some facts about methyl parathion contamination of clothing in cotton fields and its removal by home laundering. Baton Rouge, Louisiana, Louisiana State University. Agricultural Experimental Station Circular No. 104. 7 pages.

Finley EL, Metcalfe GI, McDermott FG, Graves JB, Schilling PE, Bonner FL [1974]. Efficacy of home laundering in removal of DDT, methyl parathion and toxaphene residues from contaminated fabrics. Bull Environ Contam Toxicol 12(3):268-274.

Finley EL, Rogillio JRB [1969]. DDT and methyl parathion residues found in cotton and cotton-polyester fabrics worn in cotton fields. Bull Environ Contam Toxicol 4(6)343:351.

Fire Administration Authorization Act of 1992. Public Law 102-522, 102nd Congress, 2nd session, §209 October 1992.

Fischbein A, Sassa S, Butts G, Kaul B [1991]. Increased lead absorption in a potter and her family members. NY State J Med 91(7):317-319.

Fischbein A, Wallace J, Sassa S. Kappas A, Butts G, Rohl A, Kaul B [1992]. Lead poisoning from art restoration and pottery work: Unusual exposure source and household risk. J Environ Pathol Toxicol Oncol 11(1):7-11.

Fischbein A, Wolff MS [1987]. Conjugal exposure to polychlorinated biphenyls (PCBs). Br J Ind Med 44(4):284-286.

Fish BR, Walker RL, Royster GW Jr., Thompson JL [1967]. Redispersion of settled particulates. In Fish BR ed. Surface contamination. Proceedings of a symposium held at Gatlinburg, Tennessee, June 1964. New York, Pergamon Press. pages 75-81.

Fisher LJ [1991]. EPA's answer to Senator Reid's questions from February 21 hearing on lead in the environment. Washington, DC: U.S. Environmental Protection Agency. pages 29-30.

Forsch KL [1994]. Letter of January 28, 1994 re: workers' home contamination in South Dakota to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Fowler C [1994a]. Letter of February 3, 1994 re: investigation in the past of cases of childhood pesticide poisoning from storage of pesticides in beverage containers in Arizona to Dr. Bob Mason, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 12 pages.

Fowler C [1994b]. Memorandum of March 22, 1994 re: workers' home contamination by mercury in Arizona to Dr. Bob Mason, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 7 pages.

Frank Diehl Farms v. Secretary of Labor, 696 F.2d 1325 (11th Cir. 1983).

Fulton WB, Matthews JL [1936]. A preliminary report of the dermatological and systemic effects of exposure to hexachloro-naphthalene and chloro-diphenyl. Harrisburg, PA: Bureau of Industrial Standards. Special Bulletin No. 43. 15 pages.

Ganelin RS, Mail GA, Cueto C Jr. [1964]. Hazards of equipment contaminated with parathion. Arch Environ Health 8:826-828.

Gardner MJ, Saracci R [1989]. Effects on health of non-occupational exposure to airborne mineral fibers. In: Bignon J, Peto J, Sarcci R eds. Non-occupational exposure to mineral fibers. Lyon, France. International Agency for Research on Cancer. IARC Scientific Publications No. 90. pages 375-397.

Garner JS, Favero MS [1987]. Guideline for hand washing and hospital environmental control, 1985. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. HHS Publication No. 99-1117.

Garrettson LK [1988]. Childhood lead poisoning in radiator mechanics' children. Vet Hum Toxicol 30(2):112.

Garrettson LK [1984]. Direct and indirect chemical exposure in children. Clin Lab Med 4(3):469-473.

Geisinger Medical Center [1991]. Caustic chemicals: An increasing threat to farm children. Danville, PA, Public Affairs (19-00). Information release May 31, 1991.

Giarelli L, Bianchi C, Grandi G [1992]. Malignant mesothelioma of the pleura in Trieste, Italy. Am J Ind Med 22(4):521-530.

Gibbs AR, Griffiths DM, Pooley FD, Jones JSP [1990]. Comparison of fibre types and size distributions in lung tissues of paraoccupational and occupational cases of malignant mesothelioma. Br J Ind Med 47(9):621-626.

Gibbs AR, Jones JSP, Pooley FD, Griffiths DM, Wagner JC [1989]. Non-occupational malignant mesotheliomas. In: Bignon J, Peto J, Saracci R, eds. Non-occupational exposure to mineral fibers. Lyon: International Agency for Research on Cancer. IARC Publication No. 90. pages 219-228.

Gittleman JL, Engelgau MM, Shaw J, Wille KK, Seligman PJ [1994]. Lead poisoning among battery reclamation workers in Alabama. J Occup Med 36(5):526-532.

Gittleman J, Estacio P, O'Brien D, Montopoli M [1991]. Health Hazard Evaluation Report: G.T. Jones Tire & Battery Distributing, Inc. in Birmingham, Alabama. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 91-213-2123. 30 pages.

Godby FW, Cooper TC, Sheehy JW, O'Brien DM, Van Wagenen HD, McGlothlin JD, Todd WF [1987]. In-depth survey report: Evaluation of brake drum service controls at United States Postal Service vehicle maintenance facility Nashville, Tennessee. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. ECTB 152-20b. 27 pages.

Goldberg L [1994]. Letter of January 31, 1994 re: Workers' Family Protection Act - Wichita, Kansas to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 2 pages.

Goldman RH, Peters JM [1981]. The occupational and environmental health history. JAMA 246(24):2831-2836.

Goo DM [1994]. Memorandum of January 31, 1994 re: Workers' Family Protection Act - Honolulu, Hawaii to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 2 pages.

Good CK, Pensky N [1943]. Halowax acne ("cable rash"). Arch Dermatol Syphilol 48(3):251-257.

Goodman CJ, Laughlin JM, Gold RE [1988]. Strategies for laundering protective apparel fabric sequentially contaminated with methyl parathion. In: Mansdorf Z, Sager R, Nielsen AP, eds. Performance of protective clothing: Second symposium, ASTM STP989. Philadelphia, American Society for Testing Materials. pages 671-679.

Grandjean P, Bach E [1986]. Indirect exposures: The significance of bystanders at work and at home. Am Ind Hyg Assoc J 47(12):819-824.

Graves JB, Finley EL, Morris HF, Harmon CW, Marshall JG, Summers TA, Koonce KL [1980]. Reducing permethrin residues on clothing worn in cotton fields. Louisiana Agriculture 23(3):12-13.

Greenberg M, Davies TAL [1974]. Mesothelioma register 1967-68. Br J Ind Med 31:91-104.

Griffin P, O'Malley M [1992]. Childhood poisoning associated with the insecticide Aldicarb. Sacramento, CA: California Environmental Protection Agency, Department of Pesticide Regulation, Worker Health and Safety Branch. Report No. HS-1648. 3 pages.

Grundy GW, Miller RW [1972]. Malignant mesothelioma in childhood: Report of 13 cases. Cancer 30:1216-1218.

Gunter BJ, Richardson F, Anderson KE [1987]. Health Hazard Evaluation Report: Bondar-Clegg, Lakewood, Colorado and Sparks, Nevada. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Report No. HETA 86-438-1795, HETA 86-534-1795. 10 pages.

Haddad JK, Stenberg E Jr. [1963]. Bronchitis due to acute mercury inhalation-Report of two cases. Am Rev Resp Dis 88:543-545.

Hallee TJ [1969]. Diffuse lung disease caused by inhalation of mercury vapor. Am Rev Resp Dis 99:430-436.

Hardy HL [1965]. Beryllium poisoning-Lessons in control of man-made disease. New Eng J Med 273(22):1188-1199.

Hardy HL [1948]. Delayed chemical pneumonitis in workers exposed to beryllium compounds. Am Rev Tuberc 89:547-556.

Hardy HL, Rabe EW, Lorch S [1967]. United States beryllium case registry (1952-1956). Review of its methods and utility. J Occup Med 9(6):271-276.

Hartle RW [1987]. Hazard Evaluation Report: Letter of February 13, 1987 re: Southeastern Pennsylvania Transit Authority, Paoli, PA to William D. Steuteville, Region III, U.S. Environmental Protection Agency, Philadelphia, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 86-241. 18 pages.

Hartle RW, Richardson FD, Crandall MS [1987]. Health Hazard Evaluation Report: Aluminum Company of America, Lafayette, Indiana. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 86-445-1831. 27 pages.

Hasan FM, Kazemi H [1974]. Chronic beryllium disease: A continuing epidemiologic hazard. Chest 65(3):289-293.

Hatch M [1990]. Memo of December 11, 1990 re: Yuma - mercury poisoning to the file of the Arizona Department of Health Services. 5 pages. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Heine PR [1994]. Letter of February 1, 1994 re: workers' home contamination at the National Fisheries Contamination Research Center to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, Department of Health and Human Services. 1 page.

Heller RM, Janower ML, Weber AL [1970]. The radiological manifestations of malignant pleural mesothelioma. Am J Roetgenol 108(1):53-59.

Hess GK [1988]. Castlewood removal action, Ballwin, Missouri. OSC Final Report, FIRE/EP&R/ENSV. May 18, 1988.

Hesse JL [1991]. Letter from State of Michigan to John Zirschky, January 24, 1991 re: chemicals taken from workplace into the home. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services.

Hild DN, Laughlin JM, Gold RE [1989]. Laundry parameters as factors in lowering methyl parathion residue in cotton/polyester fabrics. Arch Environ Contam Toxicol 18:908-914.

Hodous TK, Melius JM [1986]. Clinical Presentation. Occupational Respiratory Diseases. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 86-102:669-670.

Hofstetter I, Ewers U, Turfeld M, Freier I, Westerweller S, Brockhaus A [1990]. [Exposure to lead and cadmium of children living in a lead smelter area (Stolberg, West Germany)] (in German). Off Gesundh-Wes 52(5):232-237.

Holt LE [1923]. Lead poisoning in infancy. Am J Dis Child 25:299-233.

Hooper CB [1991]. Letter of August 29, 1991 re: Frit Industries at Humboldt, Iowa for Senator James M. Jeffords (Vermont). Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, Cincinnati, OH.

Hudson PJ, Vogt RL, Brondum J, Witherell L, Myers G [1985]. Elemental mercury exposure and uptake among children of thermometer plant workers. Burlington, VT: Vermont State Department of Health, Division of Epidemiology. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services. 16 pages.

Hudson PJ, Vogt RL, Brondum J, Witherell L, Myers G, Paschal DC [1987]. Elemental mercury exposure among children of thermometer plant workers. Pediatrics 79(6):935-938.

Huitink G [1994]. Letter of April 6, 1994 re: literature relevant to home contamination in Arkansas to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 34 pages.

Huncharek M, Capotorto JV, Muscat J [1989]. Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife. Br J Ind Med 46(5):354-355.

Hung I-J [1980]. Lead poisoning in two families. J Formosan Med Assoc 79(8):740-748.

Jacobs DE [1994]. Guidelines for the evaluation and control of lead-based paint hazards in housing: Clearance Draft. Report prepared by the National Center for Lead-Safe

Housing for the U.S. Department of Housing and Urban Development. pages 5-42 to 5-47.

Jensen NE, Sneddon IB, Walker AE [1972a]. Chloracne: three cases. Proc Royal Soc Med 65(8):687-688.

Jensen NE, Sneddon IB, Walker AE [1972b]. Tetrachlorobenzodioxin and chloracne. Trans St John's Hosp Dermatol Soc 58(2):172-177.

Joint Committee on Healthcare Laundry Guidelines [1994]. Guidelines of healthcare linen service-1994. Hallandale, FL: Joint Committee on Healthcare Laundry Guidelines. 12 pages.

Johnston JM [1953]. Parathion poisoning in children. J. Pediatr 42:286-291.

Jorgensen NK [1981]. [Pleura plaques after indirect, non-occupational exposure to asbestos] (in Danish). Ugeskr Laeg 143(9): 548-550.

Jorgenson D [1990]. Cleaners leading cause of poisoning among farm children. Wisconsin Dairies May 1990.

Joshua GE, Ratnaike N, Benjamin V [1971]. Lead poisoning in a family of 18 members in Vellore Town. Indian J Med Res 59(9):1496-1507.

Joubert L, Seidman H, Selikoff IJ [1991]. Mortality experience of family contacts of asbestos factory workers. Ann NY Acad Sci 643:416-418.

Jung BC, [1994]. Letter of January 24, 1994 re: home contamination with lead in Connecticut to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 2 pages.

Katagiri Y, Toriumi H, Kawai M [1983]. Lead exposure among 3-year-old children and their mothers living in a pottery-producing area. Int Arch Occup Environ Health 52:223-229.

Katz L [1994]. Letter of February 14, 1994 re: workers' family protection in New Jersey to Ms. Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 1 page.

Katzenellenbogen I [1956]. [A dermato-endocrinological syndrome and problems connected with the production and use of stilbestrol] (in Hebrew). Harefuah 50:240-241.

Kavanaugh E [1994]. Letter of May 31, 1994 re: workers' home contamination in Wisconsin to Diane Manning, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 3 pages.

Kawai M, Toriumi H, Katagiri Y, Maruyama Y [1983]. Home lead-work as a potential source of lead exposure for children. Int Arch Occup Environ Health 53:37-46.

Kaye WE, Novotny TE, Tucker M [1987]. New ceramics-related industry implicated in elevated blood lead levels in children. Arch Environ Health 42(2):161-164.

Keaschall JL, Laughlin JM, Gold RE [1986]. Effect of laundering procedures and functional finishes on removal of insecticides selected from three chemical classes. In: Barker RL, Coletta GC, eds. Performance of protective clothing. ASTM STP 900. Philadelphia, American Society for Testing Materials. pages 162-176.

Kelly B [1977]. Allied chemical kept that kepone flowing. Business and Society Review No. 2 Spring 1977:17-22.

Kelly RM [1994]. Letter of January 6, 1994 re: home contamination with lead to Steve Galson, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 6 pages.

Kiefer M [1994]. Health Hazard Evaluation Report: Rosebud Company, Atlanta, Georgia. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 93-0844-2411. 18 pages.

Kilburn KH, Lilis R, Anderson HA, Boylen T, Einstein HE, Johnson S-JS, Warshaw R [1985]. Asbestos disease in family contacts of shipyard workers. Am J Pub Health 75(6):615-617.

Kilburn KH, Warshaw R, Thornton JC [1986]. Asbestos diseases and pulmonary symptoms and signs in shipyard workers and their families in Los Angeles. Arch Intern Med 146:2213-2220.

Kim CJ [1989]. Effects of convection-oven and microwave-oven drying on removal of alachlor-residues in a fabric structure. Bull Environ Contam Toxicol 43:904-909.

Kim CJ, Stone JF, Coats JR, Kadolph SJ [1986]. Removal of alachlor residues from contaminated clothing fabrics. Bull Environ Contam Toxicol 36:234-241.

Kim CJ, Stone JF, Sizer CE [1982]. Removal of pesticide residues as affected by laundering variables. Bull Environ Contam Toxicol 29:95-100.

Kim CJ, Taylor L, Selman F [1993]. Effect of herbicide formulation on atrazine residue removal from chemical plant workers' protective clothing. Bull Environ Contam Toxicol 50:811-816.

Kim CJ, Wang Q [1992]. Residue removal of granular formulation atrazine and its dust from workers' protective clothing by laundering. In: McBriarty JP, Henry NW eds. Performance of protective clothing, Vol. 4, ASTM STP 1133. Philadelphia, American Society for Testing Materials. pages 830-839.

King GW [1954]. Acute pneumonitis due to accidental exposure to mercury vajor (sic). Ariz Med 11(9):335.

Kiviluoto R [1965]. Pleural plaques and asbestos: Further observations on endemic and other nonoccupational asbestosis. Ann NY Acad Sci 132:235-239.

Klemmer HW, Leitis E, Pfenninger K [1975]. Arsenic content of house dusts in Hawaii. Bull Environ Contam Toxicol 14(4):449-452.

Klorfin I, Bartine B [1956]. Diethylstilbestrol intoxication in a pharmaceutical factory, members of their families and a poulterer. Harefush 51:57-60.

Knappmann J [1972]. [Observations made at post mortem examination of 251 cases of mesothelioma in Hamburg (1958-1968)] (in German). Pneumonol 148:60-65.

Knishkowy B, Baker EL [1986]. Transmission of occupational disease to family contacts. Am J Ind Med 9(6):543-550.

Koehler JW [1994]. Letter of February 9, 1994 re: workers' home contamination in Florida to Richard W. Niemeier, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. 6 pages.

Koike S [1992]. [Health effects of non-occupational exposure to asbestos] (in Japanese). Jpn J Ind Health 34(3):205-215.

Kominsky JR [1984a]. Letter of October 3, 1984 re: PCB analysis of protective clothing used by fire fighters to Bill Robertson. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, Cincinnati, OH, NIOSH Report No. HETA 84-490 (close-out).

Kominisky JR [1984b]. Letter of March 28, 1994 re: contamination of firefighters' protective clothing to Lieutenant Phil Eddins. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety

and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, Cincinnati, OH, NIOSH Report No. HETA 84-169.

Kominisky JR [1984c]. Letter of May 18, 1984 re: malathion and diazinon in firefighters' protective clothing to Robert Chase. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, Cincinnati, OH, NIOSH Report No. HETA 84-250.

Kominsky JR [1987a]. Health Hazard Evaluation Report: Jacksonville Fire Department, Jacksonville, Florida. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 84-180-1776. 21 pages.

Kominsky JR [1987b]. Memorandum of February 17, 1987 re: decontamination of firefighters' protective clothing to the official file HETA 84-169. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, NIOSH Report No. HETA 84-169 (close-out).

Kominsky JR, Freyberg RW, Chesson J, Cain WC, Powers TJ, Wilmoth RC [1990]. Evaluation of two cleaning methods for the removal of asbestos fibers from carpet. Am Ind Hyg Assoc J 51(9):500-504.

Kominisky JR, Singal M [1987]. Letter of March 24, 1987 re: electrical capacitor fire to Michael J. Bauman. Available in Cincinnati, OH: Docket Office, Education and Information Division, National Institute for Occupational Safety and Health, Centers for Disease Control, Public Health Service, U.S. Department of Health and Human Services, NIOSH Report No. HETA 84-276.

Konetzke GW, Beck B, Mehnert WH [1990]. [Remarks on occupational and non-occupational effects of asbestos] (in German). Pneumologie 44(7):858-861.

Koplan JP, Wells AV, Diggory HJP, Baker EL, Liddle J [1977]. Lead absorption in a community of potters in Barbados. Int J Epidemiol 6(3):225-229.

Kreibel D, Brain JD, Sprince NL, Kazemi H [1988]. The pulmonary toxicity of beryllium. Am Rev Respir Dis 137:464-473.

Kreiss K, Newman LS, Mroz MM, Campbell PA [1989]. Screening blood test identifies subclinical beryllium disease. J Occup Med 31(7):603-608.

Kress J, Crispell KR [1944]. Chemical pneumonitis in men working with fluorescent powders containing beryllium. Guthric Clinic Bull 13:91-95.